

LVM (Logical Volume Manager)

Article URL

[LVM \(Logical Volume Manager\)](#)

Author

SecurityHome.eu

Published: 29 March 2020

Last updated on 08 February 2026.

Â

LVM (Logical Volume Manager) allows administrators to create virtual partitions spanning 2 or more physical hard-drives.

It is also possible to create software raid systems, with mirrored partitions.

Installation

On gentoo you can install LVM with the following command.
`emerge --ask sys-fs/lvm2`

Debian and ubuntu users can use this command:
`apt-get install lvm2`

Configuration

Create PV (Physical Volume)

First we have to select which partition we want to add.
We do this with the create physical volume.
`pvcreate /dev/sd[bc]1`

To see which physical volumes are available:
`pvdisplay`

If more physical volumes should be displayed, then `pvscan` can detect inactive physical volumes and activate those.
`pvscan`

VG (Volume Group)

The next step is to create a volume group (VG), a volume group, groups a number of physical volumes and show up as `/dev/VG_NAME`

in the device file system.

```
vgcreate vg0 /dev/sd[bc]1
```

With `vgdisplay` you get a list of all active volume groups.

```
vgdisplay
```

`vgscan` will search for any volume group:

```
vgscan
```

You can add additional physical volumes

```
vgextend vg0 /dev/sdd1
```

Or take one out of it. There is a risk of data loss, so move the data out first.

```
pvmove -v /dev/sdc1
```

```
vgreduce vg0 /dev/sdc1
```

When a volume group is no longer needed, it can be removed with:

```
vgremove vg0
```

LV (Logical Volume)

The logical volumes are the partitions we are going to use. They show up as `/dev/VG_NAME/LV_NAME`

To create a logical volume, the `lvcreate` command is used. The parameters to the command consist out of the requested size for the logical volume (which cannot be larger than the amount of free space in the volume group), the volume group from which the space is to be claimed and the name of the logical volume to be created.

```
lvcreate -L 150M -n lvol1 vg0
```

Or if you want to use the full free disk space:

```
lvcreate -l 100%FREE -n lvol1 vg0
```

To list all logical volumes:

```
lvdisplay
```

The `lvscan` command can be used to scan for logical volumes on all available volume groups:

```
lvscan
```

When a logical volume needs to be expanded, then the `lvextend` command can be used to grow the allocated space for the logical volume.

If there is still room in the Volume Group.

```
lvresize --resizefs --size +350GB /dev/vg0/lvol1
```

Note: the command does not work on all file systems, sometimes it need to be done in 2 steps:

```
lvextend -L500M /dev/vg0/lvol1
```

```
resize2fs /dev/vg0/lvol1 500M
```

It is also possible to reduce a logical volume. First shrink the file system itself. Not all file systems support online shrinking.

`ext4` does not support online shrinking; you have to umount it first. It is also recommended to do a file

system check to make sure there are no inconsistencies.

```
umount /mnt/data
e2fsck -f /dev/vg0/lvol1
resize2fs /dev/vg0/lvol1 150M
```

LVM supports permission states on the logical volumes.

For instance, a logical volume can be set to read only using the `lvchange` command:

```
lvchange -p r /dev/vg0/lvol1
mount -o remount /dev/vg0/lvol1
```

And ofcourse it is possible to remove a logical volume.

First you have to unmount the volume and then deactivate it, before you can remove the logical volume:

```
umount /dev/vg0/lvol1
lvchange -a n /dev/vg0/lvol1
lvremove /dev/vg0/lvol1
```

Raid

To create a RAID logical volume, you specify a raid type as the `--type`

argument of the `lvcreate`

command. Usually when you create a logical volume with the `lvcreate`

command, the `--type`

argument is implicit. For example, when you specify the `-i stripes`

argument, the `lvcreate`

command assumes the `--type stripe`

option. When you specify the `-m mirrors`

argument, the `lvcreate` command assumes the `--type mirror`

option. When you create a RAID logical volume, however, you must explicitly specify the segment type you desire.

The following command creates a 2-way RAID1 (mirroring) array named `my_lv` in the volume group `my_vg` that is 1G in size.

```
lvcreate --type raid1 -m 1 -L 1G -n my_lv my_vg
```

You can create RAID1 arrays with different numbers of copies according to the value you specify for the `-m` argument. Although the `-m` argument is the same argument used to specify the number of copies for the previous mirror implementation, in this case you override the default segment type mirror by explicitly setting the segment type as `raid1`. Similarly, you specify the number of stripes for a RAID 4/5/6 logical volume with the familiar `-i` argument, overriding the default segment type with the desired RAID type. You can also specify the stripe size with the `-I` argument.

Or 500Mb volume in 1 command.

```
lvcreate -L 500M -m1 vg1 /dev/sda1 /dev/sdb1
```

To add a partition to a raid (as additional mirror)

first create the Physical Volume (PV), It has to be at least the same size as the first partition. And if you want the logs on it, larger, the logs can be big.

```
pvcreate /dev/sde1
```

Add it to the Volume Group (VG)

```
vgextend vg1 /dev/sde1
```

And finally add it as mirror:

```
lvconvert -m1 --type mirror --corelog /dev/vg1/raid1 /dev/sde1  
-m1
```

is the first mirror.

```
--corelog
```

using system memory for the mirror log. No disk space used for logs.

Some site with a more complete explanation:

RedHat

Arch Linux

HowToForge